



## The Mayfly Newsletter

---

Volume 16 | Issue 2

Article 1

---

1-1-2011

### The Mayfly Newsletter

Peter M. Grant

Southwestern Oklahoma State University, [peter7grant@gmail.com](mailto:peter7grant@gmail.com)

Follow this and additional works at: <https://dc.swosu.edu/mayfly>

---

#### Recommended Citation

Grant, Peter M. (2011) "The Mayfly Newsletter," *The Mayfly Newsletter*. Vol. 16 : Iss. 2 , Article 1.  
Available at: <https://dc.swosu.edu/mayfly/vol16/iss2/1>

This Article is brought to you for free and open access by the Newsletters at SWOSU Digital Commons. It has been accepted for inclusion in The Mayfly Newsletter by an authorized editor of SWOSU Digital Commons. An ADA compliant document is available upon request. For more information, please contact [phillip.fitzsimmons@swosu.edu](mailto:phillip.fitzsimmons@swosu.edu).





# THE MAYFLY NEWSLETTER

Vol. 16 No. 2

Southwestern Oklahoma State University, Weatherford, Oklahoma 73096-3098 USA

January 2011

## XIIIth International Conference on Ephemeroptera XVIIth International Symposium on Plecoptera 5-11 June 2011, Japan

The next Joint International Conference will be held in Kiyosato, Japan, 5-11 June 2011. Kiyosato is a highland town at the foot of Mt. Yatsugatake.

The preliminary program includes welcome and farewell parties, a mid-conference barbeque party and trip to the upper streams of the Chikuma River for collecting, and a post-conference trip to Narai-Jyuku. The First Symposium of the Benthological Society of Asia (5<sup>th</sup> Symposium of the Aquatic Entomological Societies of East Asia) is scheduled to begin in Matsumoto immediately after this conference. Activities are being planned for those who accompany conference participants, too.

Registration is now open for the conference. Regular registration and abstract submission close on 28 February. Additional information is available at the conference web site: <http://cse.ffpri.affrc.go.jp/yoshi887/jointconference2011.html>.

### How to Submit a Proposal to Host the Next International Conference

During the international joint conference in Japan, the mayfly and stonefly organizing committees will consider proposals to host the next conference, ca. 2014. If you are considering the possibility of hosting the conference after Japan, please note the following.

Representatives from the International Conferences on Ephemeroptera and the International Society of Plecopterologists established a set of guidelines for submitting proposals to host the joint conferences. These guidelines are:

#### Preliminary Proposals

Preliminary proposals to host a conference may be submitted six years prior to the year of the proposed conference, but a final vote on the conference site will not be made until three years prior to the actual conference date.

#### Final Proposals

1. Proposals should be submitted at least one month prior to the conference during which the proposal will be officially presented.
2. A copy of this proposal should be sent to the chair of each committee - International Conferences on Ephemeroptera (Michel Sartori, [michel.sartori@vd.ch](mailto:michel.sartori@vd.ch)) and the International Society of Plecopterologists (John Brittain, [j.e.brittain@nhm.uio.no](mailto:j.e.brittain@nhm.uio.no)).
3. Proposals should be submitted by email. This facilitates distribution of the proposal to the members of the two committees.
4. Proposals should contain detailed information regarding plans to host the conference.

So, if you would like to host the conference after Japan, or if you have questions about hosting a conference or submitting a proposal, please contact either Michel or John. Either individual can answer your questions.

### Auction to Raise Funds for Travel Scholarships

An auction will be held at the International Conference in Japan to benefit the William L. Peters Travel Scholarship Fund. This fund provides financial support to help students, who are studying mayflies, to attend the international conference. During the Stuttgart conference, four students were awarded travel scholarships totaling €2644, €1500 of which were supplied by the scholarship fund.

This will be a silent auction, where all items to be auctioned will be displayed for several days during the meeting. A sheet of paper will be placed next to each item so that individuals may write down the amount they wish to bid for the item. At the end of the auction, the person who submitted the highest bid wins that item.

For now we are asking you to think about what you might like to donate to this auction. Certainly anything with a mayfly theme would be appropriate, such as books or other publications, photographs, artwork or jewelry. Collecting equipment, rare or unusual mayfly specimens, and tied flies for fly-fishing would be good options, too.

Donated items do not have to deal with mayflies, though. For example, consider donating interesting art or craftwork from your country or possibly souvenirs of Japan. (Continued on p. 16)

#### Inside This Issue

Mayfly Publications, Nominations for Lifetime Achievement Award .....	2
Newsletter Is Now Online!, Updated Addresses Needed, J-NABS 25 <sup>th</sup> Anniversary Issue, International Entomology Network, MFNL 20 <sup>th</sup> Anniversary .....	3
University of Vienna Mayfly Course, Mayflies in Top Ten List, Permanent Committee Members.....	4
2008 Mayfly Bibliography, Is This Bibliography Useful?.....	5



The Mayfly Newsletter is printed on recycled paper with vegetable-based ink.

## Mayfly Larvae (Ephemeroptera) of Britain and Ireland: Keys and a Review of Their Ecology.

Elliott, J. M. and U. H. Humpesch. 2010.  
Freshwater Biological Association Scientific  
Publication No. 66.  
ISBN 978-0-900386-78-7.

From the FBA website:

“Even for those who are already familiar with mayfly larvae, this latest edition is an essential requirement for accurate and up-to-date identification, including the latest nomenclature for this important and popular group of freshwater insects.


“Replacing an earlier key by the same authors (published by the FBA in 1988, Sci. Publication 49), this new edition incorporates three additional species recorded in Britain since 1988 (*Electrogena affinis*, *Caenis pseudo* and *C. beskidensis*) as well as changes to familiar names and other recent advances in classification and taxonomy. A key to

families is followed by a series of keys to identify species, illustrated by numerous line drawings that show the important key characters used for identification. These are supplemented (as in the 1988 edition) by sketches of common mayfly larvae drawn by Professor Mizzaro Wimmer and some new colour photographs of live larvae. These greatly enhance the text and will help beginners and others to familiarise themselves with the

general appearance and diversity of mayflies.

“Apart from the keys for identification, a wealth of basic information on the ecology of mayflies is summarised in 40 pages of tables and text, plus text figures showing the life histories of most species. A final section of text covers the importance and use of mayflies for applied purposes, especially in relation to pollution and ecological assessment of aquatic environments. The two authors, Professor Malcolm Elliott (Freshwater Biological Association) and Professor Uwe Humpesch (University of Vienna), have an unrivalled practical knowledge of the mayfly fauna of northwestern Europe, gained from many years of study, and the results of their own studies are incorporated into the text. Both are fully acquainted with the extensive scientific literature, published in several languages, and this is distilled into a readable form, citing more than 500 references.”

Visit the FBA website (<http://www.fba.org.uk/sp66>) for more information or to order a copy.



## Nominations for Lifetime Achievement Award Requested

At the 2008 International Conference on Ephemeroptera in Stuttgart, the Permanent Committee awarded the first Lifetime Achievement Awards to Ingrid Müller-Liebenau, John Flannagan and Janice Peters. The Committee would like to establish this as a tradition at future conferences.

The Committee is soliciting nominations for the next award. If you would like to nominate a colleague, please send your nomination, along with an explanation of why he or she deserves the award, to Michel Sartori, Musée cantonal de zoologie, Place de la Riponne 6 CP, CH-1014 Lausanne, Switzerland, [michel.sartori@vd.ch](mailto:michel.sartori@vd.ch). The deadline for receiving nominations is 15 March 2011.

## Distribution and Ecological Preferences of European Freshwater Organisms. Volume 3. Ephemeroptera.

Buffagni, A., M. Cazzola, M. J. López-Rodríguez, J. Alba-Tercedor and D. G. Armanini. 2009. Pensoft Publishers, Sofia, Bulgaria. ISBN 978-954-642-508-9 (paperback), 978-954-642-509-6 (e-book).

From the book jacket:



“This book series provides comprehensive information on the distribution and ecological preferences of European freshwater organisms. The third volume summarizes current knowledge on European mayflies (Ephemeroptera), based on the evaluation of over 1,400 literature references.

“The distribution within the European ecoregions is given for 344 European Ephemeroptera species and subspecies, categorized into 50 genera and 18 families.

“A wide variety of ecological preferences is presented as numerical codes, including feeding types, habitat and current preferences, temperature and altitude preferences, life span, flight periods, and overall species rarity.

“This compilation provides a unique tool for the analysis of freshwater biota, both for basic and applied purposes such as ecosystem monitoring and the implementation of European directives in the field of environmental protection.”

The web site of the publisher indicates that there will be five volumes in this series Trichoptera, Ephemeroptera, Plecoptera, Diptera and Pisces. For more information or to order a copy, visit the publisher's website at <http://www.pensoft.net/>.



---

## *The Mayfly Newsletter* is Now Online!

Southwestern Oklahoma State University (SWOSU) has established the SWOSU Digital Repository which contains many of the institution's publications along with a number of historical documents. I am pleased to announce that *The Mayfly Newsletter* has been added to that repository and it is now available online! This is the result of the efforts of one of our librarians, Mr. Phillip Fitzsimmons, and his assistant, Mr. Jason Henderson.

To find the newsletter, simply go to <http://site.ebrary.com/lib/swosudr>. Directions for using this database are on the left under "Getting Started."

For a quick start, simply type "mayfly" in the "Simple Search" box at the top of the page and click "Return." The newsletter will appear in a list. Click on the name of the newsletter and a page that appears blank will appear (scroll down to see an image). Use the right arrow (next page command) to advance four pages. This will place you on page one of the first issue of the newsletter. All pages of all issues follow consecutively.

For more of a PDF view, click the "ebrary Reader" button at the top of the page. This database also allows searches.

If you have questions about using this database, please contact Mr. Phillip Fitzsimmons at [phillip.fitzsimmons@swosu.edu](mailto:phillip.fitzsimmons@swosu.edu).

---

## Updated Addresses Needed

I need updated mailing addresses for

### International

J. M. Elouard, Montpellier, France  
C. E. Fernandez, Cali, Colombia  
S. I. Ishiwata, Hiratsuka, Japan  
Y. Isobe, Nara, Japan  
N. Kazanci, Ankara, Turkey  
M. Klonowska-Olejnik, Krakow, Poland  
E. Latorre Macarron, Soria, Spain  
M. T. Monaghan, London, England  
D. Zabriz, Ljubljana, Slovenia

### United States

R. Durfee, Hamilton, MT  
J. Gibson, Chadron, NE  
J. Glass, Waco, TX  
S. Long, Colorado Springs, CO  
J. Richardson, Salt Lake City, UT  
B. Sames, San Antonio, TX  
E. Smith, San Francisco, CA  
K. Stroom, Duluth, MN

---

## A 25th-year Anniversary Issue: The Role of *J-NABS* in Freshwater Benthic Science

From the NABS website:

"[The *Journal of the North American Benthological Society*] is celebrating its 25th anniversary by publishing a special issue of the Journal [Vol. 29, Issue 1, March 2010]. The issue is titled "A 25th-year Anniversary Issue: The Role of *J-NABS* in Freshwater Benthic Science" (Pamela Silver and Alan D. Steinman [editors]). It consists of 18 review papers that address the progress of 18 subdisciplines within benthology and the role of the Journal in the development of each subdiscipline.

"Authors provide a broad review of the literature, place the papers published in *J-NABS* within an historical context (each author includes a timeline of key papers in their field), and analyze the contribution of papers published in *J-NABS* to the subdiscipline. They also describe challenges and opportunities for future development of the field."

To obtain articles, go to BioOne (<http://www.bioone.org/toc/jnbs/29/1>). All articles in this special issue have open access anyone can download articles.

---

## Entomological Society of America's International Entomology Network

The Entomological Society of America's (ESA) International Entomology Network wants to create a "United Nations" of Entomology." Anyone in an entomological discipline, including non-ESA members, is welcome to join. The goal is to attract members from around the world to represent all possible aspects of entomology.

To sign in and join this network, go to <http://esanetworks.org/groups>. Click on "Click here to join" in the upper right corner. After providing some demographic information, you can choose from among 36 networks, including International Entomology and Aquatic Entomology. There is no cost to join



It almost slipped past me in 2010 this newsletter celebrated its 20<sup>th</sup> year of publication! Many thanks to all of you for your support, encouragement and contributions. Very special thanks also to the Southwestern Oklahoma State University administration for continuing its financial support of the *Newsletter*.

As we head into the third decade of publication, please remember that the purpose of this newsletter is "to facilitate communication among ephemeropterists." I would like to include articles about your research, graduate student proposals, commentaries, book reviews, historical aspects of mayfly research, etc. Simply send your contribution to me via email ([peter.grant@swosu.edu](mailto:peter.grant@swosu.edu)).

---





The University of Vienna offered an advanced student course on the “Identification of Mayfly Larvae and Their Ecology” based on Bauernfeind and Humpesch (2001). This course included an excursion to familiarize the students with live larvae. (Photo and information provided by Uwe Humpesch)

### Mayflies Make *Time's* Top 10 List: Weird Insect Mating Rituals

*Time* magazine listed mayflies among the “Top 10 Weird Insect Mating Rituals” in its 16 August 2010 issue. Here is the URL for the article: [http://www.time.com/time/specials/packages/article/0,28804,2010939\\_2010938\\_2010936,00.html](http://www.time.com/time/specials/packages/article/0,28804,2010939_2010938_2010936,00.html). It is probably just easier to go [www.time.com](http://www.time.com) and type in “mayflies” as the search term.



2011  
XIIIth International Conference on  
Ephemeroptera  
XVIIth International Symposium on Plecoptera  
in JAPAN



2011  
XIIIth International Conference on  
Ephemeroptera  
XVIIth International Symposium on Plecoptera  
in JAPAN

### Permanent Committee Members

Javier Alba-Tercedor, Universidad de Granada, Facultad de Ciencias, Departamento de Biología Animal Ecología y Genética, 18071 Granada, Spain, [jalba@ugr.es](mailto:jalba@ugr.es)

John Brittain, Freshwater Ecology and Inland Fisheries Laboratory (LFI), The Natural History Museums and Botanical Garden, University of Oslo, PO Box 1172, Blindern, 0318 Oslo, Norway, [j.e.brittain@nhm.uio.no](mailto:j.e.brittain@nhm.uio.no)

Ian Campbell, Department of Ecology and Evolutionary Biology, Monash University, East Caulfield, Victoria 3145, Australia, [campbell@mrcmekong.org](mailto:campbell@mrcmekong.org)

Eduardo Domínguez, Facultad de Ciencias Naturales, Universidad Nacional de Tucumán, Miguel Lillo 251, 4000 Tucumán, Argentina, [mayfly@unt.edu.ar](mailto:mayfly@unt.edu.ar)

John Flannagan, 456 Isabella Point Road, Salt Spring Island, British Columbia V8K 1V4, Canada, [jpfannagan@saltspring.com](mailto:jpfannagan@saltspring.com)

Elda Gaino, Dipartimento di Biologia Animale ed Ecologia, Via Elce di Sotto, 06123 Perugia, Italy, [gaino@unipg.it](mailto:gaino@unipg.it)

Donna Giberson, Treasurer, Department of Biology, University of Prince Edward Island, 550 University Avenue, Charlottetown, Prince Edward Island, Canada,

C1A 4P3, [giberson@upei.ca](mailto:giberson@upei.ca)

Peter Grant, Secretary, Department of Biological Sciences, Southwestern Oklahoma State University, 100 Campus Drive, Weatherford Oklahoma 73096-3098, USA, [peter.grant@swosu.edu](mailto:peter.grant@swosu.edu)

Michael Hubbard, Webmaster, Laboratory of Aquatic Entomology, Florida A&M University, Tallahassee, Florida 32307, USA, [michael.hubbard@fam.u.edu](mailto:michael.hubbard@fam.u.edu)

Peter Landolt, Vorbereitungskurse Hochschulstudium, VKHS Rue de Rome 1, CH-1700 Fribourg, Switzerland, [peter.landolt@vkhs.ch](mailto:peter.landolt@vkhs.ch)

Michel Sartori, Chairman, Musée cantonal de zoologie, Palais de Rumine, Place de la Riponne 6, CH-1014 Lausanne, Switzerland, [michel.sartori@vd.ch](mailto:michel.sartori@vd.ch)

Tomáš Soldán, Institute of Entomology, Academy of Sciences of the Czech Republic, University of South Bohemia, Branišovská 31, 37005 České Budjovice, Czech Republic, [soldan@entu.cas.cz](mailto:soldan@entu.cas.cz)

Arnold Staniczek, Staatliches Museum für Naturkunde, Abt. Entomologie, Rosenstein 1, D-70191 Stuttgart, Germany, [arnold.staniczek@smns-bw.de](mailto:arnold.staniczek@smns-bw.de)

---

# 2008 Mayfly Bibliography

The following is a list of current publications on Ephemeroptera that have been published up to and during 2008 and have not appeared in previous NABS Bibliographies.

If you would like an electronic copy of this year's mayfly bibliography, simply send me a request via email. I will send this file to you as an attachment

Abilio, F. J. P.; de Melo Ruffo, T. L.; de Souza, A. H. F. F.; Florentino, H. D.; Targino de Oliveira, E. J.; Meireless, B. N.; Santana, A. C. D. 2007. Benthonic macroinvertebrates as bioindicators of environmental quality from water bodies of Caatinga. *Oecologia Brasiliensis* 11(3): 397-409. [In Portuguese]

Afanasyev, S. A.; Lyashenko, A. V.; Zorina-Sakharova,

Manage. 4(2): 263-264.

Alexander, A. C.; Heard, K. S.; Culp, J. M. 2008.

Emergent body size of mayfly survivors. *Freshwater Biol* 53(1): 171-180.

Alibozek, J.; Ganger, M. 2008. Temporal changes in streami abundance in northwestern Massachusetts. *J. Freshwater Ecol.* 23(4): 673-676.

Angelibert, S.; Indermuehle, N.; Luchier, D.; Oertli,

## Is This Bibliography Useful to You?

The Literature Review Committee of the North American Benthological Society (NABS) has published *Current and Selected Bibliographies on Benthic Biology* since 1965. Each issue contains recent publications for the different groups of aquatic invertebrates along with other areas of aquatic biology such as periphyton, toxicology, methods, and conservation biology. I have served on the Literature Review Committee for 25 years, contributing the Ephemeroptera portion. The editor and chair of the committee during that time, Don Webb, graciously allowed me to publish the mayfly portion of that bibliography in *The Mayfly Newsletter*.

I recently resigned from the Literature Review Committee. The bibliography in this issue of the *Newsletter* is the last one that I contributed. Unfortunately, the new Committee Chair, Mark Wetzel, has not been successful at finding my replacement. This means that there was no mayfly bibliography for the 2010 publication of the *NABS Bibliography* nor will there be one published in the next newsletter.

When this bibliography first appeared in the *Newsletter*, I received many favorable comments about how useful it was. Twenty years ago, we did not have the databases and technology that we have today. At that time, conducting a literature search meant spending much time paging through journals and indexes such as *Biological Abstracts*. These indexes were very expensive and colleagues at small institutions simply did not have access to them. This annual bibliography helped to solve that problem.

However, given the development of the internet and online databases, it may no longer be practical to continue to publish an annual bibliography on mayflies. It takes a significant amount of time to compile the bibliography and then format it for the *Newsletter*. The bibliography also takes up the largest portion of the *Newsletter*, and thus adds considerably to the publication and mailing costs.

I would like to know if you find this mayfly bibliography useful. Please send an email ([peter.grant@swosu.edu](mailto:peter.grant@swosu.edu)) to me commenting on how useful it has been to you and if you think it should continue to be included in the *Newsletter*. If it is still useful to many people, I will continue to include it in the *Newsletter*. However, the problem still remains that someone needs to compile this bibliography for NABS and for this *Newsletter*.

If you would like to assist with this bibliography, please contact the current chair of the NABS Literature Review Committee, Dr. Mark Wetzel, at [mjwetzel@illinois.edu](mailto:mjwetzel@illinois.edu), phone (217) 244-2108. He can provide more information about the responsibilities.

Ye, Ye.; Romanenko, Ye. A. 2008. Phytophilous macrofauna as the index of the ecological state of water bodies of the Kiliya Delta of the Danube River. *Hydrobiol. J.* 44(4): 3-13.

Alexander, A. C.; Culp, J. M. 2008. Insulate or exacerbate? Exploring nutrient masking of contaminant effects. *Integrated Environ. Assessment*

B.; Perfetta, J. 2006. Where hides the aquatic biodiversity of macroinvertebrates in the Canton of Geneva (Switzerland)? *Arch. Sci.* 59(2-3): 225-234.

Aroca, A.; Raposo, R.; Lunello, P. 2008. A biomarker for the identification of four *Phaeoacremonium* species using the beta-tubulin gene as the target sequence. *Appl. Microbiol. Biotechnol.* 80(6): 1131-

- 1140.
- Aroviita, J.; Hamalainen, H. 2008. The impact of water-level regulation on littoral macroinvertebrate assemblages in boreal lakes. *Hydrobiologia* 613: 45-56.
- Back, J. A.; Taylor, J. M.; King, R. S.; Fallert, K. L.; Hintzen, E. H. 2008. Ontogenic differences in mayfly stoichiometry influence growth rates in response to phosphorus enrichment. *Fundamental Appl. Limnol.* 171(3): 233-240.
- Baecker, H.; Fanenbruck, M.; Waagele, J. W. 2008. A forgotten homology supporting the monophyly of Tracheata: the subcoxa of insects and myriapods revisited. *Zool. Anz.* 247(3): 185-207.
- Barber-James, H. M.; Gattolliat, J.-L.; Sartori, M.; Hubbard, M. D. 2008. Global diversity of mayflies (Ephemeroptera, Insecta) in freshwater. *Hydrobiologia* 595: 339-350.
- Baryshev, I. A. 2008. The distribution of zoobenthic organisms as the water level decreases in a small river. *Inland Water Biol.* 1(4): 388-392.
- Baumgaertner, D.; Moertl, M.; Rothhaupt, K.-O. Effects of water-depth and water-level fluctuations on the macroinvertebrate community structure in the littoral zone of Lake Constance. *Hydrobiologia* 613: 97-107.
- Beketov, M. A. 2007. New records of mayflies and stoneflies (Ephemeroptera, Plecoptera) in south-west Siberia. *Evrasiatskii Entomol. Zh.* 6(4): 387-388.
- Beketov, M. A. 2008. Community structure of Ephemeroptera in Siberian streams. *Entomol. Sci.* 11(3): 289-299.
- Bennett, M. G.; Kuhajda, B. R. 2008. Life history aspects of the black madtom, *Noturus funebris* (Siluriformes: Ictaluridae), in the Cahaba River drainage, central Alabama, USA. *J. Freshwater Ecol.* 23(3): 365-372.
- Bona, F.; Falasco, E.; Fenoglio, S.; Iorio, L.; Bandino, G. 2008. Response of macroinvertebrate and diatom communities to human-induced physical alteration in mountain streams. *River Res. Appl.* 24(8): 1068-1081.
- Boyero, L.; Rincon, P. A.; Pearson, R. G. 2008. Effects of a predatory fish on a tropical detritus-based food web. *Ecol. Res.* 23(4): 649-655.
- Braasch, D. 2006. Critical annotations on the taxonomy of several Heptageniidae (Ephemeroptera) from Middle Asia and Far East. *Entomol. Nachr. Ber.* 50(4): 197-204. [In German; English summary]
- Braasch, D.; Freitag, H. 2008. *Palawaneuria*, a new subgenus of *Compsoneria* and new species of *Compsoneria* and *Afronurus* (Ephemeroptera, Heptageniidae) from Palawan, Philippines. *Deutsche Entomol. Z.* 55(1): 117-128.
- Brauns, M.; Garcia, X.-F.; Pusch, M. T. 2008. Potential effects of water-level fluctuations on littoral invertebrates in lowland lakes. *Hydrobiologia* 613: 5-12.
- Brettfeld, R.; Bellstedt, R.; Nixdorf, F. 2007. On the aquatic fauna of the Rodach in Southern Thuringia. *Veroeffentlichungen Naturhist. Mus. Schloss Bertholdsburg Schleusingen* 22: 93-106. [In German]
- Brinkman, S. F.; Johnston, W. D. 2008. Acute toxicity of aqueous copper, cadmium, and zinc to the mayfly *Rhithrogena hageni*. *Arch. Environ. Contam. Toxicol.* 54(3): 466-472.
- Buchwalter, D. B.; Cain, D. J.; Clements, W. H.; Luoma, S. N. 2008. Using biodynamic models to reconcile differences between laboratory toxicity tests and field biomonitoring with aquatic insects (vol 41, pp 4821, 2007). *Environ. Sci. Technol.* 42(8): 3117. [Correction]
- Buchwalter, D. B.; Cain, D. J.; Martin, C. A.; Xie, L.; Luoma, S. N.; Garland, T., Jr. 2008. Aquatic insect ecophysiological traits reveal phylogenetically based differences in dissolved cadmium susceptibility. *Proc. Nat. Acad. Sci. U.S.A.* 105(24): 8321-8326.
- Callanan, M.; Baars, J.-R.; Kelly-Quinn, M. 2008. Critical influence of seasonal sampling on the ecological quality assessment of small headwater streams. *Hydrobiologia* 610: 245-255.
- Castellanos, P. M. 2008. Diversity of aquatic macroinvertebrates in a headwater stream in the Moorland of Santurban, Norte de Santander. *Rev. Acad. Colombiana Cienc. Exactas Fisic. Natur.* 32(122): 79-86. [In Spanish]
- Chakona, A.; Phiri, C.; Magadza, C. H. D.; Brendonck, L. 2008. The influence of habitat structure and flow permanence on macroinvertebrate assemblages in temporary rivers in northwestern Zimbabwe. *Hydrobiologia* 607: 199-209.
- Chaves, M. L.; Rieradevall, M.; Chainho, P.; Costa, J. L.; Costa, M. J.; Prat, N. 2008. Macroinvertebrate communities of non-glacial high altitude intermittent streams. *Freshwater Biol.* 53(1): 55-76.
- Christidis, F.; Dean, J. C. 2008. Phylogeny and distribution of the mayfly genus *Austrophlebioides* Campbell & Suter (Ephemeroptera: Leptophlebiidae). *Invertebrate Syst.* 22(1): 29-36.
- Cid, N.; Ibanez, C.; Prat, N. 2008. Life history and production of the burrowing mayfly *Ephoron virgo*



- (Olivier, 1791) (Ephemeroptera : Polymitarcyidae) in the lower Ebro River: a comparison after 18 years. *Aquat. Insects* 30(3): 163-178.
- Clayton, J. A.; Westbrook, C. J. 2008. The effect of the grand ditch on the abundance of benthic invertebrates in the Colorado River, Rocky Mountain National Park. *River Res. Appl.* 24(7): 975-987.
- Collier, K. J. 2008. Temporal patterns in the stability, persistence and condition of stream macroinvertebrate communities: relationships with catchment land-use and regional climate. *Freshwater Biol.* 53(3): 603-616.
- Colville, A.; Jones, P.; Pablo, F.; Krassoi, F.; Hose, G.; Lim, R. 2008. Effects of chlorpyrifos on macroinvertebrate communities in coastal stream mesocosms. *Ecotoxicology* 17(3): 173-180.
- Costa, S. S.; Sanches Melo, A. 2008. Beta diversity in stream macroinvertebrate assemblages: among-site and among-microhabitat components. *Hydrobiologia* 598: 131-138.
- Cover, M. R.; May, C. L.; Dietrich, W. E.; Resh, V. H. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *J. N. Amer. Benthol. Soc.* 27(1): 135-149.
- Cross, W. F.; Ramirez, A.; Santana, A.; Santiago, L. S. 2008. Toward quantifying the relative importance of invertebrate consumption and bioturbation in Puerto Rican streams. *Biotropica* 40(4): 477-484.
- Csabai, Z.; Mora, A.; Boda, P.; Cser, B.; Malnas, K. 2005. Contribution to the aquatic insect fauna of the northern part of the Bakony Mountains (Ephemeroptera, Coleoptera, Heteroptera and Trichoptera). *Folia Mus. Hist.-Natur. Bakonyiensis* 22: 69-100.
- Cucherousset, J.; Santoula, F.; Fiquerola, J.; Cereghino, R. 2008. How do biodiversity patterns of river animals emerge from the distributions of common and rare species? *Biol. Conserv.* 141(12): 2984-2992.
- Custer, K. W.; Burton, G. A., Jr. 2008. *Isonychia* spp. and macroinvertebrate community responses to stressors in streams utilizing the benthic in situ toxicity identification evaluation (BiTIE) method. *Environ. Pollut.* 151(1): 101-109.
- Dallas, H. F.; Mosepele, B. 2007. A preliminary survey and analysis of the spatial distribution of aquatic invertebrates in the Okavango Delta, Botswana. *African J. Aquat. Sci.* 32(1): 1-11.
- Datry, T.; Scarsbrook, M.; Larned, S.; Fenwick, G. 2008. Lateral and longitudinal patterns within the stygoscape of an alluvial river corridor. *Fundamental Appl. Limnol.* 171(4): 335-347.
- Dauwalter, D. C.; Fisher, W. L. 2008. Ontogenetic and seasonal diet shifts of smallmouth bass in an Ozark stream. *J. Freshwater Ecol.* 23(1): 113-121.
- de Haas, E. M.; Kraak, M. H. S. 2008. Species-specific responses of two benthic invertebrates explain their distribution along environmental gradients in freshwater habitats. *Sci. Total Environ.* 406(3): 430-435. [Special Issue SI]
- De Jonge, M.; de Vijver, B. V.; Blust, R.; Bervoets, L. 2008. Responses of aquatic organisms to metal pollution in a lowland river in Flanders: a comparison of diatoms and macroinvertebrates. *Sci. Total Environ.* 407(1): 615-629.
- Derka, T. 2006. History of mayfly research in Slovakia. *Entomofauna Carpathica* 18(3-4): 61-70. [In Slovakian]
- De Sousa, S.; Pinel-Alloul, B.; Cattaneo, A. 2008. Response of littoral macroinvertebrate communities on rocks and sediments to lake residential development. *Canadian J. Fish. Aquat. Sci.* 65(6): 1206-1216.
- Dias, L. G.; Salles, F. F.; Polegatto, C. M.; Silva, R. M.; Froelich, C. G. 2007. New records of Ephemerelloidea (Insecta: Ephemeroptera) from Sao Paulo State. *Biota Neotrop.* 7(3): 37-40. [In Portuguese; English summary]
- Dohet, A.; Ector, L.; Cauchie, H.-M.; Hoffman, L. 2008. Identification of benthic invertebrate and diatom indicator taxa that distinguish different stream types as well as degraded from reference conditions in Luxembourg. *Anim. Biol.* 58(4): 419-472.
- Dos Santos-Neto, C. R.; do Nascimento Lopes, M. J.; Lima Belmont, E. L. 2008. Diversity of larvae Leptophlebiidae (Insecta: Ephemeroptera) of the Adolpho Ducke Forest Reserve, Manaus, AM. *EntomoBrasilis* 1(1): 1-5. [In Portuguese; English summary]
- Dsa, J. V.; Johnson, K. S.; Lopez, D.; Kanuckel, C.; Tumlinson, J. 2008. Residual toxicity of acid mine drainage-contaminated sediment to stream macroinvertebrates: relative contribution of acidity vs. metals. *Water Air Soil Pollut.* 194(1-4): 185-197.
- Du, R.-Q.; Wang, Q.-L.; Zhang, Z.-T.; Wang, M.-W. 2008. The correlation between EPT community distribution and environmental factors. *Acta Entomol. Sinica* 51(3): 336-341. [In Chinese; English summary]
- Duan, B.; Li, B.-F.; Liu, R.-S.; Tong, X.-L. 2008. Diel rhythm of benthic macroinvertebrate's drift



- in streams in Hengshishui River watershed of Guangdong, China. Yingyong Shengtai Xuebao 19(5): 1084-1090. [In Chinese]
- Effenberger, M.; Engel, J.; Diehl, S.; Matthaei, C. D. 2008. Disturbance history influences the distribution of stream invertebrates by altering microhabitat parameters: a field experiment. Freshwater Biol. 53(5): 996-1011.
- Estrada M., P.; Penaloza C., R.; Pellizzari C., M.; Morales M., N.; Molina C., M.; Silva M., H. 2006. Analysis of benthic insect communities in a precordilleran river: Clarillo River (central Chile). Acta Zool. Lilloana 50(1-2): 3-14. [In Spanish; English summary]
- Fenoglio, S.; Bo, T.; Czekaj, A.; Rosciszewska, E. 2008. Feeding habits, fine structure and microhabitat preference of *Euthyplocia hecuba* (Hagen, 1861) (Ephemeroptera : Euthyplociidae) nymphs from Honduras. Folia Biol. 56(1-1): 43-49.
- Fenoglio, S.; Bo, T.; Tierno de Figueroa, J. M.; Cucco, M. 2008. Nymphal growth, life cycle, and feeding habits of *Potamanthus luteus* (Linnaeus, 1767) (Insecta : Ephemeroptera) in the Bormida River, northwestern Italy. Zool. Stud. 47(2): 185-190.
- Ferreira Ribeiro, J. M.; Magalhaes, C.; Rafael, J. A.; Henriques, A. L. 2008. Catalogue of type specimens of invertebrates in the collection of the Instituto Nacional de Pesquisas da Amazonia, Manaus, Brazil. II. Hexapoda: Collembola, Diplura, Archaeognatha, Ephemeroptera and Blattaria. Rev. Brasileira Entomol. 52(4): 595-598.
- Finn, D. S.; Poff, N. L. 2008. Emergence and flight activity of alpine stream insects in two years with contrasting winter snowpack. Arct. Antarct. Alpine Res. 40(4): 638-646.
- Fishar, M. R.; Williams, W. P. 2008. The development of a biotic pollution index for the River Nile in Egypt. Hydrobiologia 598: 17-34.
- Fjellheim, A.; Raddum, G. G. 2008. Growth and voltinism in the aquatic insects of a regulated river subject to groundwater inflows. River Res. Appl. 34(5): 710-719.
- Fochetti, R.; Argano, R.; Tierno de Figueroa, J. M. 2008. Feeding ecology of various age-classes of brown trout in River Nera, Central Italy. Belgian J. Zool. 138(2): 128-131.
- Fuller, R. L.; LaFave, C.; Anastasi, M.; Molina, J.; Salcedo, H.; Ward, S. 2008. The role of canopy cover on the recovery of periphyton and macroinvertebrate communities after a month-long flood. Hydrobiologia 598: 47-57.
- Funk, D. H.; Jackson, J. K.; Sweeney, B. W. 2008. A new parthenogenetic mayfly (Ephemeroptera: Ephemerellidae: *Eurylophella* Tiensuu) oviposits by abdominal bursting in the subimago. J. N. Amer. Benthol. Soc. 27(2): 269-279.
- Funk, D. H.; Sweeney, B. W.; Jackson, J. K. 2008. A taxonomic reassessment of the *Drunella lata* (Morgan) species complex (Ephemeroptera : Ephemerellidae) in northeastern North America. J. N. Amer. Benthol. Soc. 27(3): 647-663.
- Gallon, C.; Hare, L.; Tessier, A. 2008. Surviving in anoxic surroundings: how burrowing aquatic insects create an oxic microhabitat. J. N. Amer. Benthol. Soc. 27(3): 570-580.
- Garvey, J. M.; Hasiotis, S. T. 2008. An ichnofossil assemblage from the Lower Carboniferous Snowy Plains Formation, Mansfield Basin, Australia. Palaeogeog. Palaeoclimatol. Palaeoecol. 258(4): 257-276.
- Gattolliat, J.-L.; Sartori, M. 2008. Order Ephemeroptera. Pages 47-83. *IN*: van Harten, A. Arthropod fauna of the United Arab Emirates. Vol. 1. Dar Al Ummah Printing, Publishing, Distribution, and Advertising, Abu Dhabi.
- Giustini, M.; Miccoli, F. P.; DeLuca, G.; Cicolani, B. 2008. Length-weight relationships for some Plecoptera and Ephemeroptera from a carbonate stream in central Apennine (Italy). Hydrobiologia 605: 183-191.
- Godunko, R.; Konovalova, I.; Shrubovych, Y.; Yanytsky, T. 2005. Monitoring of taxonomical diversity of some insect orders in Lviv City (Insecta: Collembola, Ephemeroptera, Coleoptera, Hymenoptera). Naukovi Zapysky Derzhavnogo Prirodознаучogo Muzeyu Lviv 21: 191-196. [In Ukrainian]
- Godunko, R. J.; KBonowska-Olejniki, M. 2008. *Ecdyonurus nigrescens* (Klapálek, 1908) (Ephemeroptera: Heptageniidae) neotype designation, taxonomical and nomenclatural notes. Ann. Zool. 58(4): 799-817.
- Godunko, R. J.; Neumann, C.; Krzeminski, W. 2008. Fossil mayfly collections of the Museum für Naturkunde, Humboldt University, Berlin. II. Redescription of *Baltameletus oligocaenicus* Demoulin, 1968 with notes on Ameletidae McCafferty, 1991 (Insecta : Ephemeroptera) from the Eocene Baltic amber. Ann. Zool. 58(1): 105-114.
- Goetz, S.; Fiske, G. 2008. Linking the diversity and

- abundance of stream biota to landscapes in the mid-Atlantic USA. *Remote Sensing Environ.* 112(11): 4075-4085. [Special Issue]
- Gonzalez-Lazo, D. D.; Salles, F. F.; Naranjo, C. 2008. Current situation of the study of the order Ephemeroptera in Cuba. *Neotropic. Entomol.* 37(1): 45-50. [In Portuguese; English summary]
- Graewe, D.; Berlin, A. 2008. First records of *Cloeon simile* (Baetidae, Ephemeroptera) for Mecklenburg-Western Pomerania, Germany. *Lauterbornia* 62: 65-70. [In German; English summary]
- Grapentine, L.; Rochfort, Q.; Marsalek, J. 2008. Assessing urban storm water toxicity: methodology evolution from point observations to longitudinal profiling. *Water Sci. Technol.* 57(9): 1375-1381.
- Guardia Valle, L.; White, M. M.; Cafaro, M. J. 2008. Harpellales in the digestive tracts of Ephemeroptera and Plecoptera nymphs from Veracruz, Mexico. *Mycologia* 100(1): 149-162.
- Guenther, J. L.; McCafferty, W. P. 2008. Mayflies (Ephemeroptera) of the Great Plains. IV: South Dakota. *Trans. Amer. Entomol. Soc.* 134(1-2): 147-171.
- Guerrero, P.; Capdeville, Y.; D'Amico, F. 2008. Feeding strategies in wintering dippers *Cinclus cinclus* in relation to variation in food abundance along regulated upland rivers. *Alauda* 76(1): 35-46. [In French; English summary]
- Gupta, N.; Sharma, R. C.; Tripathi, A. K. 2008. Study of bio-physico-chemical parameters of Mothronwala Swamp, Dehradun (Uttarakhand). *J. Environ. Biol.* 29(3): 381-386.
- Gustafson, M. P. 2008. Effects of thermal regime on mayfly assemblages in mountain streams. *Hydrobiologia* 605: 235-246.
- Haidekker, A.; Hering, D. 2008. Relationship between benthic insects (Ephemeroptera, Plecoptera, Coleoptera, Trichoptera) and temperature in small and medium-sized streams in Germany: a multivariate study. *Aquat. Ecol.* 42(3): 463-481.
- Harrison, E. T.; Norris, R. H.; Wilkinson, S. N. 2008. Can an indicator of river health be related to assessments from a catchment-scale sediment model? *Hydrobiologia* 600: 49-64.
- Hay, C. H.; Franti, T. G.; Marx, D. B.; Peters, E. J.; Hesse, L. W. 2008. Macroinvertebrate drift density in relation to abiotic factors in the Missouri River. *Hydrobiologia* 598: 175-189.
- Heino, J. 2008. Patterns of functional biodiversity and function-environment relationships in lake littoral macroinvertebrates. *Limnol. Oceanogr.* 53(4): 1446-1455.
- Heino, J.; Korsu, K. 2008. Testing species-stone area and species-bryophyte cover relationships in riverine macroinvertebrates at small scales. *Freshwater Biol.* 53(3): 558-568.
- Heino, J.; Mykka, H. 2008. Control of stream insect assemblages: roles of spatial configuration and local environmental factors. *Ecol. Entomol.* 33(5): 614-622.
- Hertonsson, P.; Abjornsson, K.; Bronmark, C. 2008. Competition and facilitation within and between a snail and a mayfly larva and the effect on the grazing process. *Aquatic Ecol.* 42(4): 669-677.
- Hitchings, T. 2008. A new species of *Deleatidium* (*Penniketellum*) and the adult of *D. (P.) cornutum* Towns and Peters (Ephemeroptera: Leptophlebiidae) from New Zealand. *Rec. Canterbury Mus.* 22: 31-43.
- Hogue, J. N.; Hawkins, C. P. 2008. Notes on the distribution of the mayfly *Caudatella edmundsi* (Allen, 1959) (Ephemeroptera: Ephemerellidae). *Pan-Pac. Entomol.* 84(2): 150-154.
- Hollmann, M. E. T.; Miserendino, M. L. 2006. Habitat preference and life history of the mayflies *Metamonius anceps* Eaton (Nesameletidae) and *Meridialaris chiloeensis* Demoulin (Leptophlebiidae) in a Patagonian mountain stream. *Ann. Limnol.* 42(4): 233-240.
- Hrodey, P. J.; Kalb, B. J.; Sutton, T. M. 2008. Macroinvertebrate community response to large woody debris additions in small warmwater streams. *Hydrobiologia* 605: 193-207.
- Huang, J.-D.; Ren, D.; Sinitshenkova, N. D.; Shih, C.-K. 2008. New fossil mayflies (Insecta: Ephemeroptera) from the middle jurassic of Daohugou, Inner Mongolia, China. *Insect Sci.* 15(2): 193-198.
- Huang, Y.; Yan, Y.; Li, X. 2008. Food web structure of benthic macroinvertebrates in a second order stream of the Hanjiang River Basin in middle China. *J. Freshwater Ecol.* 23(3): 421-427.
- Humala, A. E. 2006. On the insect fauna of "Kivach" Nature Reserve. *Trudy Karelskogo Nauchnogo Centra Rossiiskoi Akad. Nauk* 10: 153-159. [In Russian]
- Hwang, J. M.; Bae, Y. J. 2008. Review of the tropical Southeast Asian *Ephemera* (Ephemeroptera: Ephemeridae). *Aquat. Insects* 30(2): 105-126.
- Imoobe, T. O. T. 2008. Variation in benthic

- macroinvertebrate assemblages in Ologe Lagoon, Nigeria. *African J. Aquat. Sci.* 33(1): 45-50.
- Irving, E. C.; Lowell, R. B.; Culp, J. M.; Liber, K.; Xie, Q.; Kerrich, R. 2008. Effects of arsenic speciation and low dissolved oxygen condition on the toxicity of arsenic to a lotic mayfly. *Environ. Toxicol. Chem.* 27(3): 583-590.
- Jacobsen, D.; Brodersen, K. P. 2008. Are altitudinal limits of equatorial stream insects reflected in their respiratory performance? *Freshwater Biol.* 53(11): 2295-2308.
- Jacobsen, D.; Marin, R. 2008. Bolivian Altiplano streams with low richness of macroinvertebrates and large diel fluctuations in temperature and dissolved oxygen. *Aquat. Ecol.* 42(4): 643-656.
- Jacobus, L. M.; McCafferty, W. P. 2008. Revision of Ephemerellidae genera (Ephemeroptera). *Trans. Amer. Entomol. Soc.* 134(1-2): 185-274.
- James, A. B. W.; Dewson, Z. S.; Death, R. G. 2008. Do stream macroinvertebrates use instream refugia in response to severe short-term flow reduction in New Zealand streams? *Freshwater Biol.* 53(7): 1316-1334.
- James, A. B. W.; Dewson, Z. S.; Death, R. G. 2008. The effect of experimental flow reductions on macroinvertebrate drift in natural and streamside channels. *River Res. Appl.* 24(1): 22-35.
- Johnson, J. H. 2008. Diet composition and feeding periodicity of wild and hatchery subyearling Chinook salmon in Lake Ontario. *J. Great Lakes Res.* 34(4): 590-598.
- Jones, A. W.; Kennedy, R. S. 2008. Evolution in a tropical archipelago: comparative phylogeography of Philippine fauna and flora reveals complex patterns of colonization and diversification. *Biol. J. Linn. Soc.* 95(3): 620-639.
- Joshi, P. C.; Negi, R. K.; Negi, T. 2007. Seasonal variation in benthic macro-invertebrates and their correlation with the environmental variables in a freshwater stream in Garhwal Region (India). *Life Sci. J. Acta Zengzhou Univ. Overseas Ed.* 4(4): 85-89.
- Jung, S. W.; Nguyen, V. V.; Nguyen, Q. H.; Bae, Y. J. 2008. Aquatic insect faunas and communities of a mountain stream in Sapa Highland, northern Vietnam. *Limnology* 9(3): 219-229.
- Kasangaki, A.; Chapman, L. J.; Balirwa, J. 2008. Land use and the ecology of benthic macroinvertebrate assemblages of high-altitude rainforest streams in Uganda. *Freshwater Biol.* 53(4): 681-697.
- Klok, C.; Kraak, M. H. S. 2008. Living in highly dynamic polluted river floodplains, do contaminants contribute to population and community effects? *Sci. Total Environ.* 406(3): 455-461. [Special issue]
- Kluge, N. J. 2007. Review of Ameletidae (Ephemeroptera) of Russia and adjacent lands. *Russian Entomol. J.* 16(3): 245-258.
- Kluge, N. J. 2007. A new taxon Hermanellonota, or subtribe Hermanellini subtr. n. (Ephemeroptera: Leptophlebiidae: Hagenulini), with description of three new species from Peruvian Amazonia. *Russian Entomol. J.* 16(4): 385-400.
- Kochurova, T. I.; 2008. The bottom invertebrates of small rivers in an area where pesticides were buried. *Inland Water Biol.* 1(3): 287-295.
- Kohler, A. E.; Rugenski, A.; Taki, D. 2008. Stream food web response to a salmon carcass analogue addition in two central Idaho, USA streams. *Freshwater Biol.* 53(3): 446-460.
- Kone, T.; Kouamelan, E. P.; Yao, S. S.; N'Douba, V.; Ollevier, F. 2008. First results of a study of the feeding habits of *Synodontis comoensis* (Siluriformes : Mochokidae) in a West African river (Comoe River, Comoe National Park, Cote d'Ivoire). *Aquat. Ecol.* 42(1): 35-42.
- Konrad, C. P.; Brasher, A. M. D.; May, J. T. 2008. Assessing streamflow characteristics as limiting factors on benthic invertebrate assemblages in streams across the western United States. *Freshwater Biol.* 53(10): 1983-1998.
- Koop, J. H. E.; Schaeffer, M.; Ortmann, C.; Winkelmann, C. 2008. Towards environmental assessment of river ecosystems by analyzing energy reserves of aquatic invertebrates. *Limnologica* 38(3-4): 378-387.
- Kovacs, T. 2007. Re-identification of four mayfly species from Hungary (Ephemeroptera). *Folia Hist. Natur. Mus. Matraensis* 31: 131-132.
- Kovacs, T. 2007. Data to the distribution of three species of *Electrogena* in Hungary, based on larvae (Ephemeroptera: Heptageniidae). *Folia Hist. Natur. Mus. Matraensis* 31: 133-137.
- Kreutzweiser, D. P.; Good, K. P.; Capell, S. S.; Holmes, S. B. 2008. Leaf-litter decomposition and macroinvertebrate communities in boreal forest streams linked to upland logging disturbance. *J. N. Amer. Benthol. Soc.* 27(1): 1-15.
- Lawler, S. P.; Dritz, D. A.; Johnson, C. S.; Wolder, M. 2008. Does synergized pyrethrin applied over wetlands for mosquito control affect *Daphnia magna* zooplankton or *Callibaetis californicus* mayflies? *Pest Manage. Sci.* 64(8): 843-847.

- Le Doare, J. 2008. Ephemeroptera, Plecoptera and Trichoptera, little known insects, and yet essential to the life of water courses. *Penn ar Bed* 203: 51-57. [In French]
- Lee, S. J.; Hwang, J. M.; Bae, Y. J. 2008. Life history of a lowland burrowing mayfly, *Ephemera orientalis* (Ephemeroptera : Ephemeridae), in a Korean stream. *Hydrobiologia* 596: 279-288.
- Li, X.-Y.; Yan, Y.-J. 2008. Population dynamics, life cycles, secondary production and trophic basis analysis of two mayflies in Heizhuchong stream. *Acta Hydrobiol. Sinica* 32(2): 189-194. [In Chinese]
- Lima Belmont, E. L.; do Nascimento Lopes, M. J.; do Socorro Rocha da Silva, M.; dos Santos-Neto, C. R. 2008. Bioassay with nymph of *Campylocia anceps* Eaton, 1983 for evaluation of metals copper (Cu) and zinc (Zn). *EntomoBrasilis* 1(2): 33-35. [In Portuguese]
- Lin, Q.-B.; Huang, D.-Y. 2008. New Middle Jurassic mayflies (Insecta: Ephemeroptera: Siphonuridae) from Inner Mongolia, China. *Ann. Zool.* 58(3): 521-527.
- Litvan, M. E.; Stewart, T. W.; Pierce, C. L.; Larson, C. J. 2008. Effects of grade control structures on the macroinvertebrate assemblage of an agriculturally impacted stream. *River Res. Appl.* 24(2): 218-233.
- Lopez-Rodriguez, M. J.; de Figueroa, J. M. T.; Alba-Tercedor, J. 2008. Life history and larval feeding of some species of Ephemeroptera and Plecoptera (Insecta) in the Sierra Nevada (Southern Iberian Peninsula). *Hydrobiologia* 610: 277-295.
- Lussier, S. M.; da Silva, S. N.; Charpentier, M.; Heltshe, J. F.; Cormier, S. M.; Klemm, D. J.; Chintala, M.; Jayaraman, S. 2008. The influence of suburban land use on habitat and biotic integrity of coastal Rhode Island streams. *Environ. Monit. Assess.* 139(1-3): 119-136.
- Macedo-Sousa, J. A.; Gerhardt, A.; Brett, C. M. A.; Nogueira, A. J. A.; Soares, A. M. V. M. 2008. Behavioural responses of indigenous benthic invertebrates (*Echinogammarus meridionalis*, *Hydropsyche pellucidula* and *Choroterpes picteti*) to a pulse of acid mine drainage: a laboratorial study. *Environ. Pollut.* 156(3): 966-973.
- Maloney, K. O.; Dodd, H. R.; Butler, S. E.; Wahl, D. H. 2008. Changes in macroinvertebrate and fish assemblages in a medium-sized river following a breach of a low-head dam. *Freshwater Biol.* 53(5): 1055-1068.
- Marchese, M. R.; Rodriguez, A. R.; Pave, P. J.; Carignano, M. R. 2008. Benthic invertebrates structure in wetlands of a tributary of the middle Parana River (Argentina) affected by hydrologic and anthropogenic disturbances. *J. Environ. Biol.* 29(3): 343-348.
- Martins-Neto, R. G. 2006. Fossil insects as bioindicators in sedimentary deposits: a case study for Cretaceous of Bacia do Araripe (Brazil). *Rev. Brasileira Zoocienc.* 8(2): 155-183. [In Portuguese; English summary]
- McCafferty, W. P. 2008. A newly named species of *Fallceon* Waltz and McCafferty (Ephemeroptera : Baetidae) from Mexico. *Proc. Entomol. Soc. Wash.* 110(2): 519-520.
- McCafferty, W. P.; Jacobus, L. M. 2008. Insecta, Ephemeroptera, Baetidae: range extensions and new state records from Kansas, U.S.A. *Check List* 4(2): 92-97.
- McCafferty, W. P.; Meyer, M. D. 2008. South Carolina mayflies (Ephemeroptera). *Trans. Amer. Entomol. Soc.* 134(3-4): 283-335.
- McCafferty, W. P.; Meyer, M. D.; Randolph, R. P.; Webb, J. M. 2008. Evaluation of mayfly species originally described as *Baetis* Leach (Ephemeroptera : Baetidae) from California. *Proc. Entomol. Soc. Wash.* 110(3): 577-591.
- McCafferty, W. P.; Newell, R. L. 2007. Insecta, Ephemeroptera: range extensions and new state records from far western Montana, U.S.A. *Check List* 3(3): 260-266.
- McCafferty, W. P.; Santiago-Blay, J. A. 2008. A new Cretaceous mayfly from Burmese amber (Ephemeroptera: Australiphemeridae). *Entomol. News* 119(5): 492-496.
- McLean, A. J.; Schmidt, D. J.; Hughes, J. M. 2008. Do lowland habitats represent barriers to dispersal for a rainforest mayfly, *Bungona narilla*, in south-east Queensland? *Mar. Freshwater Res.* 59(9): 761-771.
- Mebane, C. A.; Hennessy, D. P.; Dillon, F. S. 2008. Developing acute-to-chronic toxicity ratios for lead, cadmium, and zinc using rainbow trout, a mayfly, and a midge. *Water Air Soil Pollut.* 188(1-4): 41-66.
- Menetrey, N.; Oertli, B.; Sartori, M.; Wagner, A.; Lachavanne, J. B. 2008. Eutrophication: are mayflies (Ephemeroptera) good bioindicators for ponds? *Hydrobiologia* 597: 125-135.
- Meyer, M. D.; Baumgardner, D. E.; McCafferty, W. P. 2008. The Ephemeroptera of Central America. Part 2: Nicaragua. *Trans. Amer. Entomol. Soc.* 134(1-2): 133-146.
- Meyer, M. D.; McCafferty, W. P. 2008. Mayflies (Ephemeroptera) of the far western United States.



- Part 3: California. 134(3-4): 337-430.
- Miserendino, M. L.; Brand, C.; Ci Prinzio, C. Y. 2008. Assessing urban impacts on water quality, benthic communities and fish in streams of the Andes Mountains, Patagonia (Argentina). *Water Air Soil Pollut.* 194(1-4): 91-110.
- Misra, J. K.; Tiwari, V. K. 2008. A new species of *Gauthieromyces* and range extensions for other Harpellales to India. *Mycologia* 100(1): 94-98.
- Miyasaka, H.; Genkai-Kato, M.; Miyake, Y.; Kishi, D.; Katano, I.; Doi, H.; Ohba, S.-Y.; Kuhara, N. 2008. Relationships between length and weight of freshwater macroinvertebrates in Japan. *Limnology* 9(1): 75-80.
- Molineri, C. 2008. The larvae of the burrowing mayfly genus *Tortopus* (Ephemeroptera : Polymitarcyidae). *Aquat. Insects* 30(1): 7-19.
- Monaghan, K. A.; Milner, A. M. 2008. Salmon carcasses as a marine-derived resource for benthic macroinvertebrates in a developing postglacial stream, Alaska. *Canadian J. Fish. Aquat. Sci.* 65(7): 1342-1351.
- Morley, S. A.; Duda, J. J.; Coe, H. J.; Kloehn, K. K.; McHenry, M. L. 2008. Benthic invertebrates and periphyton in the Elwha River basin: current conditions and predicted response to dam removal. *Northwest Sci.* 82: 179-196. [Special Issue]
- Morrone, J. J.; Marquez, J. 2008. Biodiversity of Mexican terrestrial arthropods (Arachnida and Hexapoda): a biogeographical puzzle. *Acta Zool. Mexicana N. S.* 24(1): 15-41.
- Mueller, R.; Haybach, A.; Schoenfelder, J. 2008. First record of *Baetis nexus* Navas, 1918 in Brandenburg (eastern Germany). *Lauterbornia* 62: 59-64. [In German; English summary]
- Mugnai, R.; Oliveira, R. B.; Carvalho, A. D.; Baptista, D. F. 2008. Adaptation of the Indice Biotico Esteso (IBE) for water quality assessment in rivers of Serra do Mar, Rio de Janeiro State, Brazil. *Trop. Zool.* 21(1): 57-74.
- Mulvihill, R. S.; Newell, F. L.; Latta, S. C. 2008. Effects of acidification on the breeding ecology of a stream-dependent songbird, the Louisiana waterthrush (*Seiurus motacilla*). *Freshwater Biol.* 53(11): 2158-2169.
- Nagy, B.; Kiss, O.; Andrikovics, S. 2007. Effects of channel cleaning in the Szalajka Creek. *Termesztudományi Közlemények* 13: 289-298. [In Hungarian; English summary]
- Nessimian, J. L.; Venticinque, E. M.; Zuanon, J.; De Marco, P., Jr.; Gordo, M.; Fidelis, L.; Batista, J. D.; Juen, L. 2008. Land use, habitat integrity, and aquatic insect assemblages in Central Amazonian streams. *Hydrobiologia* 614(1): 117-131.
- Nieto, C. 2008. The larvae of some species of *Callibaetis* Eaton (Ephemeroptera: Baetidae). *Aquat. Insects* 30(3): 229-243.
- Nieto, C.; Richard, B. 2008. The genus *Cloeodes* (Ephemeroptera: Baetidae) in Argentina with new generic synonymy and new species. *Zootaxa* 1727: 1-21.
- Nosek, J.; Oertel, N. 2008. Similarity patterns of macroinvertebrate communities in the Hungarian Danube and adjacent wetlands (Szigetköz and Gemenc). *Arch. Hydrobiol. Suppl.* 166(1-2): 243-256.
- Ober, H. K.; Hayes, J. P. 2008. Influence of forest riparian vegetation on abundance and biomass of nocturnal flying insects. *Forest Ecol. Manage.* 256(5): 1124-1132.
- O'Donnell, B. C.; Jockusch, E. L. 2008. Phylogenetic relationships of leptophlebiid mayflies as inferred by histone H3 and 28S ribosomal DNA. *Syst. Entomol.* 33(4): 651-667.
- Oertli, B.; Indermuehle, N.; Angelibert, S.; Hinden, H.; Stoll, A. 2008. Macroinvertebrate assemblages in 25 high alpine ponds of the Swiss National Park (Cirque of Macun) and relation to environmental variables. *Hydrobiologia* 597: 29-41.
- Ogbogu, S. S. 2007. Re-examination of the larva of the mayfly genus *Compsopterygia* Eaton (Ephemeroptera: Heptageniidae) from Ile-Ife, southwestern Nigeria. *Nigerian J. Entomol.* 24: 141-145.
- Ogden, T. H.; Sartori, M.; Whiting, M. F. 2008. Pisciforma, Setisura, and Furcatargalia (Order : Ephemeroptera) are not monophyletic based on 18S rDNA sequences: A response to Sun et al. (2006). *Ann. Entomol. Soc. Amer.* 101(1): 1-6.
- O'Halloran, K.; Cavanagh, J.-A.; Harding, J. S. 2008. Response of a New Zealand mayfly (*Deleatidium* spp.) to acid mine drainage: implications for mine remediation. *Environ. Toxicol. Chem.* 27(5): 1135-1140.
- Oscor, J.; Leunda, P. M.; Escala, M. C.; Miranda, R. 2008. Summer feeding relationships of the co-occurring hatchling brown trout *Salmo trutta* and Ebro minnows *Phoxinus phoxinus* in an Iberian river. *Acta Zool. Sinica* 54(4): 675-685.
- O'Toole, C.; Dononue, I.; Moe, S. J.; Irvine, K. 2008. Nutrient optima and tolerances of benthic invertebrates, the effects of taxonomic resolution and testing of selected metrics in lakes using an extensive

- European data base. *Aquat. Ecol.* 42(2): 277-291.
- Owolabi, O. D. 2008. The dietary habits of the upside-down catfish, *Synodontis membranaceus* (Osteichthyes : Mochokidae) in Jebba Lake, Nigeria. *Rev. Biol. Trop.* 56(2): 931-936.
- Oyanedel, A.; Valdovinos, C.; Azocar, M.; Moya, C.; Mancilla, G.; Pedreros, P.; Figueroa, R. 2008. Spatial distribution patterns of benthic macroinvertebrates in the Aysen River basin (Chilean Patagonia). *Gayana* 72(2): 241-257. [In Spanish]
- Ozdikmen, H. 2008. Replacement names for some preoccupied macro- and microlepidopteran genera (Lepidoptera). *Munis Entomol. Zool.* 3(1): 185-190.
- Ozdikmen, H. 2008. Replacement names for three preoccupied mayflies genus group names (Ephemeroptera). *Munis Entomol. Zool.* 3(2): 651-653.
- Pablo, F.; Krassoi, F. R.; Jones, P. R. F.; Colville, A. E.; Hose, G. C.; Lim, R. P. 2008. Comparison of the fate and toxicity of chlorpyrifos - laboratory versus a coastal mesocosm system. *Ecotoxicol. Environ. Safety* 71(1): 219-229.
- Palmquist, K. R.; Jenkins, J. J.; Jepson, P. C. 2008. Clutch morphology and the timing of exposure impact the susceptibility of aquatic insect eggs to esfenvalerate. *Environ. Toxicol. Chem.* 27(8): 1713-1720.
- Palmquist, K. R.; Jenkins, J. J.; Jepson, P. C. 2008. Effects of dietary esfenvalerate exposures on three aquatic insect species representing different functional feeding groups. *Environ. Toxicol. Chem.* 27(8): 1721-1727.
- Palmquist, K. R.; Jepson, P. C.; Jenkins, J. J. 2008. Impact of aquatic insect life stage and emergence strategy on sensitivity to esfenvalerate exposure. *Environ. Toxicol. Chem.* 27(8): 1728-1734.
- Paril, P.; Bojkova, J.; Spacek, J.; Helesic, J. 2008. Ecology of *Leuctra geniculata* (Plecoptera: Leuctridae), an Atlantomediterranean species on the north-eastern border of its area. *Biologia* 63(4): 574-581.
- Parker, D.; Hlasny, R.; Webb, J. 2008. Biodiversity and adult emergence periods of mayflies (Ephemeroptera) inhabiting Candle Lake, SK. *Blue Jay* 66(2): 96-104.
- Pastuchova, Z. 2008. Ephemeroptera, Plecoptera and Trichoptera communities of streams in Cerova vrchovina highland, Slovakia. *Lauterbornia* 62: 121-127.
- Pastuchova, Z.; Lehotsky, M.; Greskova, A. 2008. Influence of morphohydraulic habitat structure on invertebrate communities (Ephemeroptera, Plecoptera and Trichoptera). *Biologia* 63(5): 720-729.
- Paunovic, M.; Jakovcev-Todorovic, D.; Simic, V.; Stojanovic, B.; Veljkovic, A. 2006. Species composition, spatial distribution and temporal occurrence of mayflies (Ephemeroptera) in the Vlasina River (Southeast Serbia). *Arch. Biol. Sci.* 58(1): 37-43.
- Pautasso, M.; Fontaneto, D. 2008. A test of the species-people correlation for stream macroinvertebrates in European countries. *Ecol. Appl.* 18(8): 1842-1849.
- Peckarsky, B. L.; Kerans, B. L.; Taylor, B. W.; McIntosh, A. R. 2008. Predator effects on prey population dynamics in open systems. *Oecologia* 156(2): 431-440.
- Perova, S. N. 2008. The taxonomic composition of macrozoobenthos in central Russian small karst lakes. *Inland Water Biol.* 1(4): 371-379.
- Pessaq, P.; Miserendino, M. L. 2008. Ephemeroptera and Plecoptera biodiversity in central Patagonia, Chubut Province, Argentina. *Zootaxa* 1817: 27-38.
- Petrovic, A.; Simic, V.; Paunovic, M.; Stojanovic, B. 2006. A new record of *Epeorus yougoslavicus* (Samal, 1935) (Ephemeroptera) in Serbia and Montenegro. *Biotechnol. Biotechnol. Equipment* 20(2): 67-71.
- Piersanti, S.; Rebora, M.; Gaino, E. 2004(2007). The influence of prey size and movement on predation by the larva of *Libellula depressa* (Odonata, Libellulidae). *Riv. Idrobiol.* 43: 159-164.
- Pond, G. J.; Passmore, M. E.; Borsuk, F. A.; Reynolds, L.; Rose, C. J. 2008. Downstream effects of mountaintop coal mining: comparing biological conditions using family- and genus-level macroinvertebrate bioassessment tools. *J. N. Amer. Benthol. Soc.* 27(3): 717-737.
- Pozdeev, I. V.; Aleksevina, M. S. 2008. The role of chironomid larvae in the structure of river benthic communities of the Upper and Middle Kama River basins. *Inland Water Biol.* 1(2): 158-162.
- Principe, R. E. 2008. Taxonomic and size structures of aquatic macroinvertebrate assemblages in different habitats of tropical streams, Costa Rica. *Zool. Stud.* 47(5): 525-534.
- Raddum, G. G.; Fjellheim, A.; Velle, G. 2008. Increased growth and distribution of *Ephemerella aurivillii* (Ephemeroptera) after hydropower regulation of the Aurland catchment in Western Norway. *River Res. Appl.* 24(5): 688-697.

- Radwell, A. J.; Brown, A. V. 2008. Benthic meiofauna assemblage structure of headwater streams: density and distribution of taxa relative to substrate size. *Aquat. Ecol.* 42(3): 405-414.
- Rasmussen, J. J.; Friberg, N.; Larsen, S. E. 2008. Impact of lambda-cyhalothrin on a macroinvertebrate assemblage in outdoor experimental channels: implications for ecosystem functioning. *Aquat. Toxicol.* 90(3): 228-234.
- Richardson, J. S. 2008. Aquatic arthropods and forestry: effects of large-scale land use on aquatic systems in Nearctic temperate regions. *Canadian Entomol.* 140(4): 495-509.
- Rodriguez, J.; Ospina, R.; Berrio, M.; Cepeda, B.; Castellanos, G.; Valencia, M. 2006. Daily periodicity of microinvertebrate drift and organic matter in a tropical mountain stream, Narino, Colombia. *Acta Biol. Colombiana* 11:47-53. [Supplement 1; In Spanish]
- Rohasliney, H.; Jackson, D. C. 2008. Lignite mining and stream channelization influences on aquatic macroinvertebrate assemblages along the Natchez Trace Parkway, Mississippi, USA. *Hydrobiologia* 598: 149-162.
- Ross, R. M.; Long, E. S.; Dropkin, D. S. 2008. Response of macroinvertebrate communities to remediation-simulating conditions in Pennsylvania streams influenced by acid mine drainage. *Environ. Monit. Assess.* 145(1-3): 323-338.
- Rothlisberger, J. D.; Baker, M. A.; Frost, P. C. 2008. Effects of periphyton stoichiometry on mayfly excretion rates and nutrient ratios. *J. N. Amer. Benthol. Soc.* 27(3): 497-508.
- Ruginis, T. 2008. Diet and prey selectivity by age-0 brown trout (*Salmo trutta* L.) in different lowland streams of Lithuania. *Acta Zool. Lituanica* 18(2): 139-146.
- Sagnes, P.; Merigoux, S.; Peru, N. 2008. Hydraulic habitat use with respect to body size of aquatic insect larvae: case of six species from a French Mediterranean type stream. *Limnologia* 38(1): 23-33.
- Salles, F. F.; Boldrini, R. 2008. Male imago description of *Americabaetis longetron* Lugo-Ortiz & McCafferty (Ephemeroptera: Baetidae), and first key to adults of the genus. *Neotrop. Entomol.* 37(5): 564-566.
- Salles, F. F.; Nieto, C. 2008. The adult stages of *Nanomis* and *Spiritiops* (Ephemeroptera : Baetidae). *Rev. Soc. Entomol. Argentina* 67(1-2): 35-39.
- Salles, F. F.; Polegatto, C. M. 2008. Two new species of *Baetodes* Needham & Murphy (Ephemeroptera: Baetidae) from Brazil. *Zootaxa* 1851: 43-50.
- Scheibler, E. E.; Debandi, G. O. 2008. Spatial and temporal patterns in the aquatic insect community of a high altitude Andean stream (Mendoza, Argentina). *Aquat. Insects* 30(2): 145-161.
- Semwal, N.; Akolkar, P.; Jangwan, J. S. 2008. Use of benthic macroinvertebrates for assessment of impact of canalization on water quality of River Ganga (Bhagirathi). *J. Exp. Zool. India* 11(1): 191-196.
- Sharley, D. J.; Hoffmann, A. A.; Pettigrove, V. 2008. Effects of sediment quality on macroinvertebrates in the Sunraysia region of the Murray-Darling Rivers, Australia. *Environ. Pollut.* 156(3): 689-698.
- Sharma, A.; Sharma, R. C.; Anthwal, A. 2008. Surveying of aquatic insect diversity of Chandrabhaga River, Garhwal Himalayas. *Environmentalist* 28(4): 395-404.
- Shcherbina, G. Kh. 2008. The structure of *Dreissena polymorpha* (Pallas) biocenosis and the role of mollusk in roach *Rutilus rutilus* (Linnaeus) feeding in Pleshchevo Lake. *Inland Water Biol.* 1(4): 380-387.
- Smith, J. L.; Boyer, G. L.; Mills, E.; Schulz, K. L. 2008. Toxicity of microcystin-LR, a cyanobacterial toxin, to multiple life stages of the burrowing mayfly, *Hexagenia*, and possible implications for recruitment. *Environ. Toxicol.* 23(4): 499-506.
- Soldan, T. 2006. Mayflies (Ephemeroptera) of Kokorinsko Protected Landscape Area. *Bohemia Centralis* 27: 219-230. [In Czechoslovakian; English Summary]
- Soldan, T.; Godunko, R. J. 2008. Two new species of the genus *Baetis* Leach, 1815 (Ephemeroptera : Baetidae) from Cyprus. *Ann. Zool.* 58(1): 79-104.
- Solimini, A. G.; Bazzanti, M.; Ruggiero, A.; Carchini, G. 2008. Developing a multimetric index of ecological integrity based on macroinvertebrates of mountain ponds in central Italy. *Hydrobiologia* 597: 109-123.
- Solomon, C. T.; Carpenter, S. R.; Rusak, J. A.; Zanden, M. J. V. 2008. Long-term variation in isotopic baselines and implications for estimating consumer trophic niches. *Canadian J. Fish. Aquat. Sci.* 65(10): 2191-2200.
- Stahls, G.; Savolainen, E. 2008. MtDNA COI barcodes reveal cryptic diversity in the *Baetis vernus* group (Ephemeroptera, Baetidae). *Molecular Phylogenet. Evol.* 46(1): 82-87.
- Stewart, T. W.; Downing, J. A. 2008. Macroinvertebrate communities and environmental

- conditions in recently constructed wetlands. *Wetlands* 28(1): 141-150.
- Stitt, R. P.; Rockwell, R. W.; Legg, D. E.; Lockwood, J. A. 2006. Evaluation of *Cinygmula* (Ephemeroptera: Heptageniidae) drift behavior as an indicator of aqueous copper contamination. *J. Ky. Acad. Sci.* 67(2): 102-108.
- Storey, R. G.; Quinn, J. M. 2008. Composition and temporal changes in macroinvertebrate communities of intermittent streams in Hawke's Bay, New Zealand. *New Zealand J. Mar. Freshwater Res.* 42(1): 109-125.
- Strand, K. A.; Chipps, S. R.; Kahara, S. N.; Higgins, K. F.; Vaa, S. 2008. Patterns of prey use by lesser scaup *Aythya affinis* (Aves) and diet overlap with fishes during spring migration. *Hydrobiologia* 598: 389-398.
- Stribling, J. B.; Jessup, B. K.; Feldman, D. L. 2008. Precision of benthic macroinvertebrate indicators of stream condition in Montana. *J. N. Amer. Benthol. Soc.* 27(1): 58-67.
- Sullivan, S. M. P.; Watzin, M. C. 2008. Relating stream physical habitat condition and concordance of biotic productivity across multiple taxa. *Canadian J. Fish. Aquat. Sci.* 65(12): 2667-2677.
- Sun, L.; McCafferty, W. P. 2008. Cladistics, classification and identification of the brachycercine mayflies (Insecta: Ephemeroptera: Caenidae). *Zootaxa* 1801: 1-239.
- Tall, L.; Methot, G.; Armellin, A.; Pinel-Alloul, B. 2008. Bioassessment of benthic macroinvertebrates in wetland habitats of Lake Saint-Pierre (St. Lawrence River). *J. Great Lakes Res.* 34(4): 599-614.
- Tanatmis, M.; Ertorun, N. 2008. The Ephemeroptera (Insecta) limnofauna of Kabali Stream (Sinop - Turkey) basin. *J. FisheriesSciences.com* 2(3): 329-331. [Online; In Turkish]
- Tasdemir, A.; Ustaoglu, M. R.; Balik, S.; Sari, H. M. 2008. Diptera and Ephemeroptera fauna of some lakes in western Black Sea region (Turkey). *Journal of FisheriesSciences.com* 2(3): 252-260. [Online, In Turkish]
- Theissinger, K.; Feldheim, K. A.; Taubmann, J.; Seitz, A.; Pauls, S. U. 2008. Isolation and characterization of 10 highly polymorphic di- and trinucleotide microsatellite markers in the mayfly *Ameletus inopinatus* (Ephemeroptera: Siphonuridae). *Molecular Ecol. Res.* 8(6): 1285-1287.
- Tiunova, T. M. 2006. A new species of the genus *Ecdyonurus* Eaton, 1868 (Ephemeroptera, Heptageniidae) from the Far East of Russia. *Evrasiatskii Entomol. Zh.* 5(4): 285-289. [In Russian; English summary]
- Tiunova, T. M. 2007. A contribution to the mayfly fauna (Insecta: Ephemeroptera). *Evrasiatskii Entomol. Zh.* 6(4): 379-386. [In Russian]
- Tiunova, T. M. 2008. Two new species of *Parameletus* Bengtsson, 1908 (Ephemeroptera: Siphonuridae), and notes on other species from the Far East of Russia. *Zootaxa* 1725: 17-26.
- Verberk, W. C. E. P.; Siepel, H.; Esselink, H. 2008. Applying life-history strategies for freshwater macroinvertebrates to lentic waters. *Freshwater Biol.* 53(9): 1739-1753.
- Vidinova, Y. N.; Yaneva, I. Y.; Tyufekchieva, V. G.; Zadneprovski, B. E. 2007. Composition and abundance of macroinvertebrate communities in the Arda River (South Bulgaria) in relation to some ecological factors. *Acta Zool. Bulgarica* 59(3): 309-324.
- Vinson, M. R.; Dinger, E. C. 2008. Aquatic invertebrates of the Grand Staircase-Escalante National Monument, Utah. *Southwest. Natur.* 53(3): 374-384.
- Walther, D. A.; Whiles, M. R. 2008. Macroinvertebrate responses to constructed riffles in the Cache River, Illinois, USA. *Environ. Manage.* 41(4): 516-527.
- Wan, Z.; Vallino, J. J.; Peterson, B. J. 2008. Study of the inter-annual food web dynamics in the Kupa River with a first-order approximation inverse model. *Ecol. Model.* 211(1-2): 97-112.
- Webb, J. M.; McCafferty, W. P. 2008. Adjustments to the species nomenclature in Heptageniidae (Ephemeroptera). *Proc. Entomol. Soc. Wash.* 110(2): 525-527.
- Webb, J. M.; Sun, L.; McCafferty, W. P.; Ferris, V. R. 2007. A new species and new synonym in *Heptagenia* Walsh (Ephemeroptera: Heptageniidae: Heptageniinae) based on molecular and morphological evidence. *J. Insect Sci.* 63: 1-16.
- Wehking, K. 2008. *Baetis tracheatus* (Keffermueller & Machel, 1967) (Ephemeroptera): current evidence of the occurrence in Northrhine-Westphalia/Germany. *Lauterbornia* 62: 57-58. [In German; English summary]
- Werner, S.; Rothhaupt, K.-O. 2008. Effects of the invasive Asian clam *Corbicula fluminea* on benthic macroinvertebrate taxa in laboratory experiments. *Fundamental Appl. Limnol.* 173(2): 145-152.
- Wessell, K. J.; Merritt, R. W.; Wilhelm, J. G. O.;



Scholarships, continued from p. 1

If you will not be attending the meeting, but would like to donate items for the auction, please contact the Secretary-general of the conference, Dr. Mayumi Yoshimura at [m.yoshimura@affrc.go.jp](mailto:m.yoshimura@affrc.go.jp), to make arrangements.

If you would like to make a financial donation to this fund, please contact the Treasurer of the Permanent Committee, Donna Giberson (see p. 4 for contact information).

In the meantime, if you have any suggestions or questions about this auction, please contact either Eduardo Domínguez or Pete Grant (see p.4 for contact information.).

- Allan, J. D.; Cummins, K. W.; Uzarski, D. G. 2008. Biological evaluation of Michigan's non-wadeable rivers using macroinvertebrates. *Aquat. Ecosystem Health Manage.* 11(3): 335-351.
- Wilcox, A. C.; Peckarsky, B. L.; Taylor, B. W.; Encalada, A. C. 2008. Hydraulic and geomorphic effects on mayfly drift in high-gradient streams at moderate discharges. *Ecohydrology* 1(2): 176-186.
- Willmann, R. 2008. *Thuringopteryx*, a "Permian" mayfly in the Buntsandstein (Insecta, Pterygota). *Palaentol. Z.* 82(1): 95-99. [In German]
- Winkelmann, C.; Petzoldt, T.; Koop, J. H. E.; Matthaei, C. D.; Benndorf, J. 2008. Benthivorous fish reduce stream invertebrate drift in a large-scale field experiment. *Aquat. Ecol.* 42(3): 483-493.
- Winterbourn, M. J.; Cadbury, S.; Ilg, C.; Milner, A. M. 2008. Mayfly production in a New Zealand glacial stream and the potential effect of climate change. *Hydrobiologia* 603: 211-219.
- Wolf, B. 2008. Evidence of caddisflies (Trichoptera), stoneflies (Plecoptera) and mayflies (Ephemeroptera) at the Halberg near Neumorschen (Hessen, Schwalm-Eder-County). *Philippia* 13(3): 245-248. [In German]
- Yan, Y.; Li, X. 2008. Temporal dynamics of production and ingestion of the dominant mayflies in a subtropical stream in China. *Aquat. Ecol.* 42(4): 657-667.
- Zaikowski, L.; McDonnell, K. T.; Rockwell, R. F.; Rispoli, F. 2008. Temporal and spatial variations in water quality on New York South Shore Estuary tributaries: Carmans, Patchogue, and Swan Rivers. *Estuaries Coasts* 31(1): 85-100.
- Zbinden, M.; Hieber, M.; Robinson, C. T. 2008. Short-term colonization patterns of macroinvertebrates in alpine streams. *Fund. Appl. Limnol.* 171(1): 75-86.
- Zhang, J.; Zhou, C.; Gai, Y.; Song, D.; Zhou, K. 2008. The complete mitochondrial genome of *Parafronurus youi* (Insecta: Ephemeroptera) and phylogenetic position of the Ephemeroptera. *Gene* 424(1-2): 18-24.
- Zhou, C. 2006. Isonychiidae, Baetidae, Heptageniidae, Leptophlebiidae, Potamanthidae, Ephemeridae and Ephemerellidae. Pages 61-68. *IN: Jin, D.; Li, Z. Insects from Chishui spinulose tree fern landscape. Guizhou Science and Technology Publishing House, Guiyang. [In Chinese; English summary]*
- Zhou, C.; Zheng, L. 2005. Isonychiidae, Baetidae, Heptageniidae, Leptophlebiidae, Potamanthidae, Ephemeridae and Ephemerellidae. Pages 90-99. *IN: Jin, D.; Li, Z. Insects from Xishui landscape. Guizhou Science and Technology Publishing House, Guiyang. [In Chinese; English summary]*
- Zilli, F. L.; Montalto, L.; Marchese, M. R. 2008. Benthic invertebrate assemblages and functional feeding groups in the Parana River floodplain (Argentina). *Limnologica* 38(2): 159-171.
- Zrelli, S.; Bejaoui, M.; Korbaa, M.; Boumaiza, M. 2006. First record of the genus *Brachycercus* Curtis, 1834 in Tunisia (Ephemeroptera, Caenidae). *Zool. Baetica* 17: 91-92.
- Zuellig, R. E.; Kashian, D. R.; Brooks, M. L.; Kiffney, P. M.; Clements, W. H. 2008. The influence of metal exposure history and ultraviolet-B radiation on benthic communities in Colorado Rocky Mountain streams. *J. N. Amer. Benthol. Soc.* 27(1): 120-134.
- ...and so, as the delicate mayfly of time collides with the speeding windscreen of fate, and the angry wasp of destiny flies up the trouser leg of despair...  
Humphrey Lyttelton  
*I'm Sorry I Haven't a Clue*



*The Mayfly Newsletter* (ISSN 1091-4935) is the official newsletter of the International Conferences on Ephemeroptera and is published to facilitate communication

among ephemeropterists. Subscriptions to the *Newsletter* are free. To place your name on the mailing list or to contribute information for the next issue, contact Peter M. Grant, editor, *The Mayfly Newsletter*, Department of Biological Sciences, Southwestern Oklahoma State University, 100 Campus Drive, Weatherford, Oklahoma 73096-3098 USA, phone (580) 774-3294, FAX (580) 774-7140, email [peter.grant@swosu.edu](mailto:peter.grant@swosu.edu). This publication was authorized by the Dean of Arts and Sciences and was printed at a cost of \$681.00 for 500 copies.